

Fit Comments

Under the Surface



A handwritten signature in cursive script that reads "Max Miller". The signature is written in dark ink on a light background. The "M" is large and stylized, with a long horizontal stroke that extends to the left and then curves back up to the right. The "ax" is written in a smaller, more compact cursive. The "Miller" is written in a similar cursive style, with a long horizontal stroke that extends to the right and then curves back up to the left, meeting the "M".



Look #1 - Slack Form

Designer: Max Miller
Model: Chase King
Date: 23rd February 2026

Starting Images and Technical Flat



Look #1 - Slack Form

Designer: Max Miller
Model: Chase King
Date: 23rd February 2026

After Fitting

Changes:

- Stitch together sleeve pleat top and bottom 3"
- Make sure to trim inverted box pleat bulk past stitching
- Sew zipper closure into facing
- Shorten sleeve hem 2"
- Lower shoulder slope 1/2"
- Add 2 1/2" sleeve and hem ribbing cuff
- Change box pleats on hem to darts
- Adjust sleeve to match new shoulder slope
- Add zipper to center hood seam
- Add sleeve and hem rib knit cuffs
-






- Lower right front pant leg top edge 1/2"
- Create asymmetric waistband and raise right leg waistband corner 3/8"
- Raise pant hem 3"
- Raise back yoke seam line
- Insert pocket inside back yoke seams
- Add multiple lines of smocking instead of 1
- Take in waist 1/2" total
-



Look #2 - Joint Lock

Designer: Max Miller
Model: Bristol Brabson
Date: 22 February 2026

Starting Images and Technical Flat



Look #2 - Joint Lock

Designer: Max Miller
Model: Bristol Brabson
Date: 22 February 2026

After Fitting

Changes:

- Add placket underneath shoulder closure and hook and bars
- Add zipper shield behind closure
- Chest area tight, sleeve shoulder tight
- Increase bicep
- decrease front armhole depth 1/4"
- Slash CF collar to create curve
- Switch collar button extension from front to back side
- True neck shape and verify a good curve from front to back
- Add sleeve cuffs and jacket hem band
- Do finished-unfinished hem on cowl
- Drop armhole 3/8"
- Raise yoke line 1"
- Add 1/2" back waistband dart
- Create asymmetric waistband shape on buttonhole edge
- Hem pants 2"
- Add shaping seams down front and back legs
- Add double heel panel
-



Look 3 - Shift Bound

Designer: Max Miller
Model: Nox
Date: 26th February 2026

Starting Images and Technical Flat

07



Look 3 - Shift Bound

Designer: Max Miller
Model: Nox
Date: 26th February 2026

After Fitting

Changes:


- Raise jacket hem 3"
- Add 2 1/2" rib knit cuffs and hem
- Rib knit cuffs 1/2" smaller than wrist
- Shorten sleeve hem 1"
- Add 3/4" back dart
- Raise yoke seam line 1 1/2"
- Redo barrel leg Shape with inseam darts
- Add organic seaming throughout front and back legs
- Add SS pant wrap and back clip closure
-



Look 4 - Cinch Fault

Designer: Max Miller
Model: Dylan
Date: 26th February 2026

Starting Images and Technical Flat



Look 4 - Cinch Fault

Designer: Max Miller
Model: Dylan
Date: 26th February 2026

After Fitting

Changes:


- Smooth out neckline transition especially back curves.
- Change closure to double breasted
- Change collar extension to be shorter
- Shorten collar width by 1"
- Bring in neckhole width by 1/4" each side
- Change CF pleats to a smocking band
- Add back bodice seams with speats
- Shorten sleeve cap top curve by 1/4"
- Lengthen sleeve by 1"
- Add Sleeve Cuffs with placket
- Add vertical welt pockets just under chest
- Don't take fabric manipulation up to collar
- Yoke will separate smocking from collar
- Include smocking on yoke panel?
- Add 2 5/8" back darts
- Add pant leg hem band
- Raise back yoke seam line
- Add hip pockets and bag
- Add front and back yoke
- Include smocking on center front panel instead of pleats
- Take in leg hem 2" through sideseam



Look 5 - Sub Stack

Designer: Max Miller
Model: Will
Date: 26th February 2026

Starting Images and Technical Flat



Look 5 - Sub Stack

Designer: Max Miller
Model: Will
Date: 26th February 2026

After Fitting

Changes:

- Lower collar 2"
 - Notch all pieces for construction pieces
 - Add organic seamlines on back panel
 - Do 2x fold hem
 - Add Internal cuff and placket
 - Widen upper chest and neck width
 - Add curved back yoke
 - Add 2 1/2" hem band and cuffs
 - Add full lining and interfacing in collar area
 - Will wear knit curchif under collar as well
-
- Add ribbon down SS and hand tack folds down the leg
 - Raise back yoke seamline
 - Include leather back yoke and overarm sleeve
 - Possibly add hem cuff to provide hem structure1

